

EXPERIMENT**3****Naming Inorganic Compounds****Introduction**

Currently, there are over 20 million known chemical compounds. The names and formulas of these compounds are an essential vocabulary in chemistry. To alleviate the impossible task of memorizing the names of chemical compounds scientists have devised a systematic strategy for naming chemical substances. This process is termed **chemical nomenclature**, from the Latin words *nomen* (name) and *calare* (to call). The rules for naming chemicals are universally accepted worldwide; what is known as sodium chloride in America is also sodium chloride in India, China, and Dubai. *It is important to master the rules for naming chemical compounds* at the very beginning of your study of chemistry as chemical nomenclature is the vocabulary you will use to identify and discuss an overwhelming variety of substances.

The rules for chemical nomenclature are based on the division of substances into categories. The first division separates chemical substances into two categories, *organic* and *inorganic* compounds. **Organic compounds** contain carbon, usually in combination with elements such as hydrogen, oxygen, nitrogen and sulfur. All other compounds are referred to as **inorganic compounds**, and usually do not contain carbon. For convenience some carbon containing compounds, such as carbon monoxide (CO), carbon disulfide (CS₂), compounds containing the cyanide group (CN), and carbonate (CO₃²⁻) and bicarbonate (HCO₃⁻) groups are considered to be inorganic compounds. The rules for naming organic and inorganic compounds are different. This lab will focus on learning to name inorganic compounds, as these will be used regularly throughout chemistry 101.

Inorganic compounds are divided into four categories:

1. **Ionic compounds**
2. **Molecular compounds**
3. **Acids and bases**
4. **Hydrates**

Each of these categories have specific chemical nomenclature rules.

1. **Naming Ionic compounds:** Ionic compounds are made up of **cations** (positive ions) and **anions** (negative ions). Most of the cations of interest in this course are derived from metal atoms. Metal atoms are located in groups I and II in the periodic table (See figure of periodic table). *Metal cations take their names from the elements.*

For example:

| Element | Name | Cation | Name |
|---------|-----------|------------------|---------------|
| Na | Sodium | Na ⁺ | Sodium ion |
| K | Magnesium | K ⁺ | Magnesium ion |
| Al | Aluminum | Al ³⁺ | Aluminum ion |

Adapted from

1. Van Koppen, P. A. M. *General Chemistry Laboratory Manual Second Edition*. McGraw-Hill: New York, 2007, 15-26.

2. Chang, R. *Chemistry Tenth Edition*. McGraw-Hill: New York, 2010, 59-70.

Anions are mostly nonmetals. Anions are named by taking the first part of the element name (fluorine) and adding “-ide” (fluoride). Other examples are shown below.

| Element | Name | Cation | Name |
|---------|----------|-----------------|---------------------|
| Cl | Chlorine | Cl ⁻ | Chloride ion |
| Br | Bromine | Br ⁻ | Bromide ion |
| S | Sulfur | S ²⁻ | Sulfide ion |

It is important to become familiar with the names of the first 54 elements in the periodic table as these make up the most common chemical compounds. Knowing the names of the elements will greatly increase your ability to name chemical compounds.

Copyright © The McGraw-Hill Companies, Inc. Permission required for reproduction or display.

| 1 1A | | | | | | | | | | | | | | | | | 18 8A | |
|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|----------|----------|----------|----------|
| 1 H | 2 2A | | | | | | | | | | | 13 3A | 14 4A | 15 5A | 16 6A | 17 7A | 2 He | |
| 3 Li | 4 Be | | | | | | | | | | | 5 B | 6 C | 7 N | 8 O | 9 F | 10 Ne | |
| 11 Na | 12 Mg | 3 3B | 4 4B | 5 5B | 6 6B | 7 7B | 8 8B | | 9 9B | 10 10B | 11 11B | 12 12B | 13 Al | 14 Si | 15 P | 16 S | 17 Cl | 18 Ar |
| 19 K | 20 Ca | 21 Sc | 22 Ti | 23 V | 24 Cr | 25 Mn | 26 Fe | 27 Co | 28 Ni | 29 Cu | 30 Zn | 31 Ga | 32 Ge | 33 As | 34 Se | 35 Br | 36 Kr | |
| 37 Rb | 38 Sr | 39 Y | 40 Zr | 41 Nb | 42 Mo | 43 Tc | 44 Ru | 45 Rh | 46 Pd | 47 Ag | 48 Cd | 49 In | 50 Sn | 51 Sb | 52 Te | 53 I | 54 Xe | |
| 55 Cs | 56 Ba | 57 La | 72 Hf | 73 Ta | 74 W | 75 Re | 76 Os | 77 Ir | 78 Pt | 79 Au | 80 Hg | 81 Tl | 82 Pb | 83 Bi | 84 Po | 85 At | 86 Rn | |
| 87 Fr | 88 Ra | 89 Ac | 104 Rf | 105 Db | 106 Sg | 107 Bh | 108 Hs | 109 Mt | 110 Ds | 111 Rg | 112 | 113 | 114 | 115 | 116 | (117) | 118 | |

| | | | | | | | | | | | | | | |
|------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|
| Metals | 58 Ce | 59 Pr | 60 Nd | 61 Pm | 62 Sm | 63 Eu | 64 Gd | 65 Tb | 66 Dy | 67 Ho | 68 Er | 69 Tm | 70 Yb | 71 Lu |
| Metalloids | 90 Th | 91 Pa | 92 U | 93 Np | 94 Pu | 95 Am | 96 Cm | 97 Bk | 98 Cf | 99 Es | 100 Fm | 101 Md | 102 No | 103 Lr |
| Nonmetals | | | | | | | | | | | | | | |

Figure 1: Periodic Table of Elements. Metals are shown in green, nonmetals in blue, and metalloids in pink.

Certain metals, especially among the **transition metals**, groups 3B to 2B in the periodic table, *can form more than one type of cation*. Iron, Fe, for example, can form two cations, Fe²⁺ and Fe³⁺. The rules for naming atoms that form cations with variable charges is the same as for naming any cation, except that the charge of the metal must be specified using a roman numeral. An older nomenclature system, still in limited use, assigns the ending *-ous* to the cation with fewer positive charges, and the ending of *-ic* to the cation with more positive charges.

| Cation | Name | Older Name |
|------------------|-------------------|----------------|
| Fe ²⁺ | iron (II) cation | ferrous cation |
| Fe ³⁺ | iron (III) cation | ferric cation |

Adapted from

1. Van Koppen, P. A. M. *General Chemistry Laboratory Manual Second Edition*. McGraw-Hill: New York, 2007, 15-26.

2. Chang, R. *Chemistry Tenth Edition*. McGraw-Hill: New York, 2010, 59-70.

Polyatomic anions are ions that are composed of more than one element. Polyatomic anions containing oxygen have names ending in *-ate* or *-ite*. The ending *-ate* is used for the most common ion. The ending *-ite* is used for an ion that has same charge but one fewer O atoms. Table 1 shows a list of common polyatomic ions. See also Table 2.3 in Chang, 10th ed.

Table 1. Common Polyatomic Ions

| | | | |
|--|--|--|----------------------|
| NH ₄ ⁺ | ammonium | PO ₄ ³⁻ | phosphate |
| H ₃ O ⁺ | hydronium | HPO ₄ ²⁻ | hydrogen phosphate |
| OH ⁻ | hydroxide | H ₂ PO ₄ ²⁻ | dihydrogen phosphate |
| CN ⁻ | cyanide | ClO ⁻ | hypochlorite |
| SCN ⁻ | thiocyanate | ClO ₂ ⁻ | chlorite |
| NO ₂ ⁻ | nitrite | ClO ₃ ⁻ | chlorate |
| NO ₃ ⁻ | nitrate | ClO ₄ ⁻ | perchlorate |
| SO ₃ ²⁻ | sulfite | MnO ₄ ⁻ | permanganate |
| SO ₄ ²⁻ | sulfate | CrO ₄ ²⁻ | chromate |
| HSO ₄ ⁻ | hydrogen sulfate (or bisulfate) | Cr ₂ O ₇ ²⁻ | dichromate |
| CO ₃ ²⁻ | carbonate | C ₂ O ₄ ²⁻ | oxalate |
| HCO ₃ ⁻ | hydrogen carbonate (or bicarbonate) | O ₂ ²⁻ | peroxide |
| CH ₃ CO ₂ ⁻ | acetate | | |

If you memorize the names and charges of all the ions ending in *-ate*, then the suffixes and prefixes are changed in a systematic way to account for the number of oxygens in the ions:

-ite corresponds to the ion with one fewer oxygen atom,
hypo- and *-ite* with two fewer oxygen atoms,
per- and *-ate* with one more oxygen atom than the ion ending in *-ate*

For example:

chlorate ClO₃⁻
 chlorite ClO₂⁻
 hypochlorite ClO⁻ least number of oxygens
 perchlorate ClO₄⁻ greatest number of oxygens

NOTE:

- 1) adding or subtracting oxygen atoms does not change the charge on the ion
- 2) adding a hydrogen atom reduces the negative charge by one (e.g. sulfate, SO₄²⁻ and hydrogen sulfate HSO₄⁻)

Most ionic compounds are **binary compounds**, compounds formed from just two elements. An ionic bond is formed by the attraction between ions of opposite charge. Cations, which are positively charged, are attracted to anions, which are negatively charged.

Adapted from

1. Van Koppen, P. A. M. *General Chemistry Laboratory Manual Second Edition*. McGraw-Hill: New York, 2007, 15-26.

2. Chang, R. *Chemistry Tenth Edition*. McGraw-Hill: New York, 2010, 59-70.

For binary compounds, the first element named is the metal cation, followed by the nonmetallic anion. For example, NaCl is named by first naming the cation Na^+ using the element name, *sodium*. Then the anion Cl^- is named using the element stem and the suffix *-ide*: *chloride*. NaCl is thus called *sodium chloride*. Table 2 shows examples of how to name binary ionic compounds.

Table 2. Names of common binary ionic compounds.

| Compound | Cation | Anion | Name |
|---------------------------|---------------|---------------------------|---------------------------|
| NaCl | Na^+ | Cl^- | sodium chloride |
| Li_3N | Li^+ | N^{3-} | lithium nitride |
| Na_3PO_4 | Na^+ | H_2PO_4^- | sodium phosphate |
| Na_2HPO_4 | Na^+ | HPO_4^{2-} | sodium hydrogen phosphate |

Note that when a polyatomic ion is present, its name is given after the cation name.

For the following compounds, FeCl_2 contains the Fe^{2+} ion and FeCl_3 contains the Fe^{3+} ion. The corresponding name indicates the charge on the metal ion.

FeCl_2 iron (II) chloride or ferrous chloride
 FeCl_3 iron (III) chloride or ferric chloride

Exception: For Zn^{2+} , Cd^{2+} , and Ag^+ in compounds, no Roman numeral is required to specify the charge because Zn, Cd, and Ag generally form only one type of ion with a fixed charge. Examples of common transition metals and their names are shown in table 3.

Table 3. Common transition metal atoms that form cations with variable charges

| Ion | Name | Alternative name | Ion | Name | Alternative name |
|------------------|-------------|------------------|------------------|--------------|------------------|
| Fe^{3+} | iron (III) | ferric | Co^{3+} | cobalt (III) | cobaltic |
| Fe^{2+} | iron (II) | ferrous | Co^{2+} | cobalt (II) | cobaltous |
| Cu^{2+} | copper (II) | cupric | Pb^{4+} | lead (IV) | plumbic |
| Cu^+ | copper (I) | cuprous | Cu^+ | lead (II) | plumbous |

2. Naming molecular compounds (two nonmetal atoms bound).

Name the first element in the chemical formula first, using the element name. Name the second element in formula as if it were an anion, element stem plus the suffix *-ide*. Number of atoms must be indicated using the prefixes: *mono-*, *di-*, *tri-*, *tetra-*, *penta-*, *hexa-*, *hepta-*, *octa-*, etc. but *mono-* is never used to name the first element. The table below shows a list of the prefixes and their meanings.

NO nitrogen monoxide
 N_2O dinitrogen monoxide
 N_2O_4 dinitrogen tetroxide
 CO carbon monoxide
 CO_2 carbon dioxide
 NH_3 ammonia (or nitrogen trihydride)

Table 4. Greek Prefixes

| Greek Prefixes Used in Naming Molecular Compounds | |
|---|---------|
| Prefix | Meaning |
| mono- | 1 |
| di- | 2 |
| tri- | 3 |
| tetra- | 4 |
| penta- | 5 |
| hexa- | 6 |
| hepta- | 7 |
| octa- | 8 |
| nona- | 9 |
| deca- | 10 |

Adapted from

1. Van Koppen, P. A. M. *General Chemistry Laboratory Manual Second Edition*, 15-26.

2. Chang, R. *Chemistry Tenth Edition*. McGraw-Hill: New York, 2010,

3. Naming Acids and Bases

Acids:

An acid is defined as a substance that produces hydrogen ions, H^+ , in solution. For example, HCl dissociates to produce H^+ and Cl^- in aqueous solution. Formulas for acids contain one or more hydrogen atom as well as an anionic group. The name assigned to the compound depends on its physical state. In the gaseous or pure liquid state, HCl is a molecular compound called *hydrogen chloride*. When it is dissolved in water, the molecules break up into the respective ions and in this state the substance is called *hydrochloric acid*.

1) Naming Binary Acids

Anions whose names end in *-ide* form acids with a *hydro-* prefix and an *-ic* ending. For example to name the acid HBr, first identify the anion (Br^-) then add *-ic* to the stem of the element, in place of *-ide* for the ion (bromic) and precede the stem by the prefix *hydro-* (*hydrobromic acid*). Table 5 shows this process for some simple acids.

Table 5. Naming Binary Acids

| Anion | Corresponding Acid |
|--------------------|-----------------------------|
| F^- (fluoride) | HF (hydrofluoric acid) |
| Cl^- (chloride) | HCl (hydrochloric acid) |
| Br^- (bromide) | HBr (hydrobromic acid) |
| I^- (iodide) | HI (hydroiodic acid) |
| CN^- (cyanide) | HCN (hydrocyanic acid) |
| S^{2-} (sulfide) | H_2S (hydrosulfuric acid) |

2) Naming Oxyacids

Oxyacids are acids that contain hydrogen, oxygen, and another element. When naming oxyacids:

Add *-ic* to the stem of the element if the anion ends in *-ate*

Add *-ous* to the stem of the element if the anion ends in *-ite*

For example, the stem of the element nitrogen is *nitr*:

nitrate ion (NO_3^-) **nitric** acid (HNO_3)

nitrite ion (NO_2^-) **nitrous** acid (HNO_2)

In cases where an element forms more than two oxyacids, the prefixes *per-* (for the largest number of oxygen atoms in the oxyacid) and *hypo-* (for the smallest number of oxygens) are used, just as for the oxyanions. Table 6 below shows some examples for naming oxyacids.

Table 6. Names of Oxoacids and Oxoanions that contain Chlorine

Copyright © The McGraw-Hill Companies, Inc. Permission required for reproduction or display.

| Acid | Anion |
|----------------------------|-------------------------|
| $HClO_4$ (perchloric acid) | ClO_4^- (perchlorate) |
| $HClO_3$ (chloric acid) | ClO_3^- (chlorate) |
| $HClO_2$ (chlorous acid) | ClO_2^- (chlorite) |
| $HClO$ (hypochlorous acid) | ClO^- (hypochlorite) |

1. Van Koppen, P. A. M. *General Chemistry Laboratory Manual Second Edition*. McGraw-Hill: New York, 2007, 15-26.

2. Chang, R. *Chemistry Tenth Edition*. McGraw-Hill: New York, 2010, 59-70.

3) Naming Organic Acids

The stems for the common organic acids are nonsystematic and must be memorized. The same relation as for oxoacids holds between the names of the ion and the acid. For example,

acetate ion (CH_3COO^-) acetic acid (CH_3COOH)

Bases:

A **base** can be described as a substance that yields *hydroxide* ions (OH^-) when dissolved in water. To name the base, first name the element of the cation, then follow it with *hydroxide* to identify the OH^- anion. Some examples:

| Base | Cation | Anion | Name of base |
|--------------------------|------------------|---------------|---------------------|
| NaOH | Na^+ | OH^- | sodium hydroxide |
| KOH | K^+ | OH^- | potassium hydroxide |
| $\text{Ba}(\text{OH})_2$ | Ba^{2+} | OH^- | barium hydroxide |

4) Naming Hydrates

Hydrates are compounds that have a specific number of water molecules attached to them. For example, in its normal state *lithium chloride* has one water molecule associated with it. The systematic name for this compound is *lithium chloride monohydrate*, and its formula is written as $\text{LiCl} \cdot \text{H}_2\text{O}$. To name hydrate compounds, first name the ionic compound (*lithium chloride*) then name the specific number of water molecules attached using the Greek prefixes shown in Table 4. Below are some common examples for naming hydrates.

| Hydrates | Ionic compound | Water molecules | Name of Hydrate |
|---|-------------------|-----------------|--------------------------------|
| $\text{BaCl}_2 \cdot 2\text{H}_2\text{O}$ | barium chloride | dihydrate | barium dihydrate |
| $\text{MgSO}_4 \cdot 7\text{H}_2\text{O}$ | magnesium sulfate | heptahydrate | magnesium sulfate heptahydrate |

Procedure:

Naming Inorganic compounds:

- Using what you have learned about naming inorganic compounds, work in teams to complete the nomenclature worksheet.
- Be sure to complete all the examples in the worksheet.
- Go to the computer room and practice naming more compounds:
Use the following web address and start doing the exercises:

<http://jchemed.chem.wisc.edu/JCEDLib/WebWare/collection/open/JCE2005WWOR002/nom/nomrandom.html>

Instructions for website:

- Press the red arrow to begin, a chemical name or formula should appear on the screen.
 - Name the compound or write out the chemical formula.
 - Press the blue button to reveal if you have answered correctly.
- Practice the computer drill for at least 20 different compounds and make a note of what compounds were used.

Adapted from

1. Van Koppen, P. A. M. *General Chemistry Laboratory Manual Second Edition*. McGraw-Hill: New York, 2007, 15-26.

2. Chang, R. *Chemistry Tenth Edition*. McGraw-Hill: New York, 2010, 59-70.

Inorganic Nomenclature Worksheet

Name _____ Section _____

Date _____

This worksheet is to be completed in lab.

1. Ionic Compounds

Write the symbol and charge of the cation, the symbol and charge of the anion, and the chemical formula for each of the following compounds.

| Compound | Cation | Anion | Chemical Formula |
|------------------|--------|-------|------------------|
| lithium fluoride | | | |
| potassium oxide | | | |
| magnesium iodide | | | |
| calcium nitride | | | |
| barium sulfide | | | |
| aluminum oxide | | | |

Transition metals

| Compound | Cation | Anion | Chemical Formula |
|----------------------|--------|-------|------------------|
| lead (IV) oxide | | | |
| chromium (III) oxide | | | |
| copper (I) chloride | | | |
| iron (II) sulfide | | | |
| silver iodide | | | |

Polyatomics

| Compound | Cation | Anion | Chemical Formula |
|------------------------------|--------|-------|------------------|
| zinc sulfate | | | |
| barium nitrite | | | |
| chromium(II) phosphate | | | |
| potassium permanganate | | | |
| manganese(II) hydroxide | | | |
| calcium carbonate | | | |
| potassium hydrogen phosphate | | | |
| ammonium sulfate | | | |

Adapted from

1. Van Koppen, P. A. M. *General Chemistry Laboratory Manual Second Edition*. McGraw-Hill: New York, 2007, 15-26.

2. Chang, R. *Chemistry Tenth Edition*. McGraw-Hill: New York, 2010, 59-70.

Write the name of each of the following compounds.

| | |
|--------------------------------------|--|
| $(\text{NH}_4)_2\text{CO}_3$ | |
| $\text{Zn}(\text{OH})_2$ | |
| $\text{Co}(\text{NO}_3)_3$ | |
| K_2SO_4 | |
| Cr_2O_3 | |
| K_2SO_3 | |
| $\text{Pb}(\text{CH}_3\text{COO})_2$ | |
| K_2S | |
| Na_3P | |
| Na_3PO_4 | |
| LiNO_2 | |

2. Molecular Compounds

Write the chemical formula or name for each of the following compounds.

| | |
|------------------------|--|
| carbon tetrachloride | |
| N_2O_4 | |
| ammonia | |
| dinitrogen trioxide | |
| P_2O_5 | |
| SF_6 | |
| carbon disulfide | |
| NO | |

3. Acids and Bases

Write the formula for the following acids.

| | |
|------------------|--|
| nitric acid | |
| acetic acid | |
| barium sulfate | |
| hydrobromic acid | |
| carbonic acid | |
| nitrous acid | |
| phosphoric acid | |
| sulfurous acid | |

Adapted from

1. Van Koppen, P. A. M. *General Chemistry Laboratory Manual Second Edition*. McGraw-Hill: New York, 2007, 15-26.

2. Chang, R. *Chemistry Tenth Edition*. McGraw-Hill: New York, 2010, 59-70.

For each of the following formulas, write the name and whether it's an acid or a base.

| Formula | Name | Acid or Base? |
|--------------------------------|------|---------------|
| HCl | | |
| H ₂ SO ₄ | | |
| NaOH | | |
| CH ₃ COOH | | |
| H ₃ PO ₄ | | |
| Ba(OH) ₂ | | |
| HCN | | |
| HNO ₃ | | |

4. Mixed Review. For each name, give the correct formula. Note that this list includes ionic compounds, molecular compounds, and acids. Decide first which of these categories the compound belongs to, then give the formula.

| Category (ionic, molecular, acids) | Formula |
|------------------------------------|---------|
| hydrochloric acid | |
| sodium bicarbonate | |
| aluminum chloride | |
| lithium sulfite | |
| dinitrogen monoxide | |
| iron (III) hydroxide | |
| magnesium nitrate | |
| xenon tetrafluoride | |
| hydrofluoric acid | |
| nitrogen dioxide | |
| phosphorous pentoxide | |
| zinc dichromate | |

III. Give the category and name for each of the following compounds.

| Category (ionic, molecular, acids) | Formula |
|---|---------|
| (NH ₄) ₂ CO ₃ | |
| Zn(OH) ₂ | |
| Co(NO ₃) ₃ | |
| NO ₃ | |
| PCl ₅ | |
| CrO | |
| N ₂ O ₄ | |
| H ₂ SO ₄ | |

Adapted from

1. Van Koppen, P. A. M. *General Chemistry Laboratory Manual Second Edition*. McGraw-Hill: New York, 2007, 15-26.

2. Chang, R. *Chemistry Tenth Edition*. McGraw-Hill: New York, 2010, 59-70.